

MDS

[mds-int.net](http://www.mds-int.net)

M615 TROMMEL

<http://www.mds-int.net>




MDS-INT
Drummond
Carrickmacross
Co. Monaghan, IRELAND

TEL: +353 42 966 7899
EMAIL: info@mds-int.net
WEB: www.mds-int.net

The M615 Modular Trommel is capable of screening material at the rate of approximately 500 tons per hour with a max rock size of 750 mm (30"). It is ideal for use in cleaning dirty rock or screening blasted material. With 3 possible configurations, our modular trommel covers many applications. The M615 comes with 4 splits as standard.


TECHNICAL SPECIFICATIONS

TRANSPORT DIMENSIONS



PERFECT FOR CLEANING DIRTY MATERIAL

**MAX ROCK SIZE:
750 mm (30")**




**HYDRAULIC
PUSH
FEEDER**

**96 kW (130 HP)
CAT ENGINE**


CHOICE OF DIFFERENT BASES

WORKING DIMENSIONS



**CONCRETE
WALLS**

**CREATE LARGER
STOCKPILES AND
FEED WITH DUMP
TRUCKS USING
CONCRETE WALLS**



**STANDARD
BASE**



**IDEAL FOR
QUICK SET UP AND
PORTABLE FROM SITE TO SITE**

**WASHING
CHUTES**



**INCLUDES SPRAY BAR
SYSTEM AND COLLECTION
TRAY FOR WASHED MATERIAL**

MACHINE SPECIFICATIONS

Approx Tons per Hour : 350 to 500 tons

Drum Diameter : 1.5 m (4 ft 11")

Drum Length : 6 m (19 ft 8")

Number of Outputs : 4 off

Weight : 35 tons

Max Rock Size : 750 mm (30")

Hopper Capacity : 30 tons







Feed Mechanisms : Hydraulic Push Feeder

Engine and Controls : Cat 4.4 / Electronic Control System

3170
(10 ft 5")



MDS TROMMEL RANGE

MODEL	Tons per Hour	Drum Diameter	Drum Length	Number of Outputs	Screen Openings	Hopper Capacity	Feed Mechanism	Engine and Controls
MDS M515 TROMMEL	Mobile track machine for use with primary blast, dirty material or rip rap							
	350 to 500 tons	1.5 m (4 ft 11")	5 m (16 ft 5")	4 off	16 mm to 250 mm (0.5" to 10")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M615 STATIC TROMMEL	Semi mobile machine which can be moved from site to site and can be loaded by an excavator or dump truck							
	350 to 500 tons	1.5 m (4 ft 11")	6 m (19 ft 8")	4 off	16 mm to 500 mm (0.5" to 20")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M820 TROMMEL	A large heavy duty static rock trommel ideal for cleaning dirty rock or screening blasted material							
	750 tons	2 m (6 ft 7")	8 m (26 ft 3")	3 or 4 off	16 mm to 500 mm (0.5" to 20")	70 tons	Hydraulic Push Feeder	CAT 6.6 / Electronic Control System
MDS M825 TROMMEL	A super sized heavy duty static trommel for maximum output. It can be set up on concrete walls or a metal chutes structure							
	1000 tons	2.5 m (8 ft 2")	8 m (26 ft 3")	3 off	70 mm to 500 mm (3" to 20")	100 tons	Hydraulic Push Feeder	Cat 6.6 / Electronic Control System
MDS M520R TROMMEL	A static trommel ideal for compost or light recycling							
	15 tons	2 m (6 ft 7")	5 m (16 ft 5")	2 off	5 mm to 50 mm (0.2" to 2")	X	X	2 off 3 kW Motors (4 HP)
MDS M820R TROMMEL	A tough static machine built for recycling concrete and demolition or any heavy duty recycling							
	50 tons	2 m (6 ft 7")	8 m (26 ft 3")	2 or 3 off	10 mm to 250 mm (0.4" to 10")	X	X	2 off 15 kW Motors (20 HP)

MDS APRON FEEDERS

Manufactured to your requirements

QUARRY FEEDER



MINING FEEDER

